Results of recent Aladin verification



Zoran Vakula and Lovro Kalin, Meteorological and Hydrological Service of Croatia

Motivation

- evaluate skill for "new" Aladin Croatia model
- compare scores with other models Aladin Lace model and ECMWF global model

Aladin


• Aladin Lace started in 1996 in Prague

• from 2003 run in Zagreb, Croatia

• Aladin Cro started in 2000 in Zagreb

Aladin Croatia

- runs operationally for 00 and 12 UTC
- boundary conditions from Aladin Lace
- smaller domain
- resolution reduced to 8 km
- dynamical adaptation of wind field to 2 km



variables and scores

- temperature ME, MAE, RMSE, SS
- precipitation bias, KSS, HSS, ETS
- wind mean values, stdev, correlation coeff


Wilks, D.S., 1995: Statistical Methods in the Atmospheric Sciences: an Introduction
Nurmi, P., 2003: Recommendations on the verification of local weather forecasts, ECMWF Technical Memorandum No. 430


Temperature


• 2m temperature for today and tomorrow

- scores
 - -ME
 - MAE
 - RMSE

- SS (over climatology or persistence)







MEAN ERROR (dmo) minimum temperature

-.3 1.5

-.3 -.6

1.3

-.4

- 7 -1.3 .3

1.2

-.7 -.3

2.7

-.8

3.0

.1

for tomorrow data: year 2004

-3.8

2.2


-.4

-.5 1.4

all: x

X

ALADIN CROATIA ALADIN LACE ECMWFrun12UTC



MEAN ERROR (dmo) maximum temperature

-1.1

-2.0

-1.0

-1.6

-1.1

-1.8

3.5

2.6

-3.7

-1.6

-.5

-1.5

-1.5

-.2 -1.5

-1.7

4-

-1.4

-3.0

-2:

-1.9

-2.2

-1.8

for tomorrow data: year 2004


-1.5


-2.7

all: x


X

ALADIN CROATIA ALADIN LACE ECMWFrun12UTC






Temperature for Zagreb Maksimir (continental) Jan - Dec 2003




→ ME - Lace
 → ME - Cro
 → MAE - Lace
 → MAE - Cro

Temperature for Zagreb Maksimir (continental) Jan - Dec 2004





Temperature for Split Jan - Dec 2004



Precipitation


• 24 hour, 6 hour and 3 hour precipitation


- scores:
 - bias
 - KSS (Hansen Kuipers Skill Score)
 - HSS (Heidke Skill Score)
 - ETS (Equitable Threat Score)


Skill Scores


 range mostly from – infinity to 1 or from – 1 to 1


- SS=0 zero skill (climatology, persistency...)
- SS=1 perfect forecast




















ALADIN CROATIA - 00 UTC run - precipitation rr > 0.0 - Sep 2003 to Mar 2004 for 3 points

Wind







hours

station: Split Marjan (14445)

A.C.

data: year 2004

observed acc 00

observed acc O6

ALADIN LACE

ALADIN CROATIA -----

42


45

48


39

36

Vijadukt Bozic



Maslenicki most



Conclusions

• Problems:

- overestimating precipitation ("too wet")
- significant daily variation of ME for temp

Conclusions (contd...)

- scores show general improvement in time and particularly compared to original Aladin Lace model
- temperature better biased
- reduced daily variation of temperature bias
- dynamical adaptation of wind field better predicts strong wind gusts, especially for katabatic processes at the coast (bura)

Future...

• new features (ver precipitation against radar measurements, ...)

• establish a verification package that will run operationally (monthly, seasonaly, yearly)

Thank you for your attention !